

X835/76/01

Graphic Communication

THURSDAY, 11 MAY 1:15 PM – 3:15 PM



ull name of ce	ntro	•	ed below. Town	
ull flame of ce	ntre		Town	
orename(s)		Sur	name	Number of seat
Data of his	+h			
Date of bir Day	Month	Year	Scottish candidate num	hor
1121/		ieai	Scottisii candidate num	שפו

Total marks — 75

Attempt ALL questions.

All dimensions are in mm.

All technical sketches and drawings use third angle projection.

You may use rulers, compasses or trammels for measuring.

In all questions you may use sketches and annotations to support your answer if you wish.

Write your answers clearly in the spaces provided in this booklet. Additional space for answers is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting.

Use blue or black ink.


Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.




Total marks — 75 Attempt ALL questions

- 1. 3D CAD modelling software was used to create the sub-assembly of the door handle shown below.
 - (a) (i) Describe, using 3D CAD terms, how to constrain the three door handle components.

You may annotate the drawings and use sketches to support your answer.








(iii) Describe, giving two reasons, the purpose of an exploded isometric view.

(continued)



The CAD technician created the handle component in several stages. Dimensions for stage 1 of the 3D modelling process are provided on the working drawing above.

(c) Describe, using CAD modelling techniques, how to create stage 1.You must refer to the dimensions given in the drawing.You may use sketches to support your answer.




	phics for a toy are provided on the supplementary sheets for use with stion 2 (a).	
(a)	Describe the 3D CAD modelling techniques used to create the central support of the toy. You must refer to the dimensions given on the supplementary sheets for use	
	with question 2 (a). You may use sketches to support your answer.	8
	Tou may use sketches to support your answer.	0

2.



2. (continued)



The toy flag component was modelled using tangency.

(b)	(i)	Explain the term tangency.
		You may use sketches to illustrate your answer.

(ii)	Calculate the following distances.	2
	The distance from the centre of arc A to the centre of arc B.	


The distance from the centre of arc A to the centre of arc C.

2. (continued)

MARKS DO NOT WRITE IN THIS MARGIN

4


A drawing of the toy slide component is shown below.



(c) Describe the single 3D CAD modelling technique used to create the slide component.

You must refer to the dimensions shown in the orthographic drawing shown above.

You may use sketches to support your answer.



3. A designer created a rendered 3D CAD illustration and electronic sketches of a concept delivery vehicle shown below.



(a)	Describe two advantages to the designer of using digital sketching instead of manual sketching.
)	Describe three benefits of using rendered 3D CAD illustrations to show design concepts to a client.

MARKS	DO NOT
	THIS
	MARGIN

2	/ 4.*	-1\
< 1	CONTINUE	71
3. (continue	<i>.,</i>

The designer also produced a 3D CAD illustration of the concept delivery vehicle using a sited environment.

(c)	Describe, giving two reasons, the purpose of a sited environment.	4
The	illustrations are saved in a raster file format.	
(d)	Explain, giving two reasons, why a raster file format is used.	,
The	designer that carried out the work uses cloud computing-based CAD software.	
(e)	Explain, giving two reasons, the benefits of using cloud computing.	2


[Turn over




page 09

3. (continued)

Production drawings of a component from the concept delivery vehicle are shown below.







page 10

3.	(coı	ntinued)
	(f)	Describe the 3D CAD modelling techniques used to create the wing mirror component.

ou may use	sketches to su	ipport your	answer.	 	



MARKS	DO NOT WRITE IN
	THIS MARGIN


(continued	I)
------------------------------	----


The 3D CAD model of the wing mirror will be used to create production graphics.

(g)	Describe, giving two examples, the benefits of using 3D CAD models in manufacturing.				

MARKS DO NOT WRITE IN THIS MARGIN

A range of technical graphics have been produced to support the manufacture of a mounting bracket.





(a)	Explain why a stepped section was used in the drawing above.				




1

DO NOT WRITE IN THIS MARGIN

4. (continued)

The orthographic drawing of the mount is shown below.







page 14


(continued)


(b) Identify the correct auxiliary view of the mount in **direction X**, shown in the drawing opposite, by ticking (✓) a box below.

1









[Turn over




page 15

1

4. (continued)


For question 4(c) you must refer to the supplementary sheets for use with question 4(c).




- (c) (i) Calculate the maximum length of the threaded section of the fixing bolt.
 - (ii) State the thread size of the fixing bolt.

A graphic design company have been asked to create a range of electronic and printed promotional graphics for a travel agent.

Layouts for a travel app are shown below.







(a) (i) Explain, giving two reasons, why a limited colour palette and simple graphics have been used for the travel app layouts.

2

(ii) Describe, giving two examples, how the graphic designer has created emphasis in the travel app layouts.

2



(continued) 5.

(b)

MARKS DO NOT WRITE IN THIS MARGIN

In questions 5 (b) to (d) you must refer to the layouts on the supplementary sheets for use with questions 5 (b) to (d).

A series of double page spreads used to advertise holidays are shown on the supplementary sheets for use with questions 5 (b) to (d).



hic designer's use of

(b)	conti	inued	MARKS
	(iii)	Describe, giving two examples, how the graphic designer has created rhythm to enhance the layouts.	2
			_
	(iv)	Explain, giving two examples, why the graphic designer's use of shape has enhanced the layouts.	2
			_
	(v)	Describe, giving two examples, how the graphic designer has used mass to enhance the layouts.	2
			- -
Dro	p caps	s have been used throughout the layouts.	_
(c)		ain, giving two reasons, why a drop cap can be used to enhance the ability of a document.	2
			_
			_




[Turn over

MARKS DO NOT WRITE IN THIS MARGIN

5. (continued)

A pre-press version of the document was created for quality assurance prior to mass printing.



(d) Explain the purpose of feature X.

1



5. (continued) The graphic design company employed local photographers for the desktop published items. (e) Describe two advantages of the company using photographs they own the rights to. 2 Vector graphics were used in the layouts. 2 (f) Describe **two** advantages of using vector graphics. The graphic design company are keen to improve their environmental impact. (g) Explain two edits that could be made to the layouts that would improve their environmental impact. 2

[END OF QUESTION PAPER]



MARKS DO NOT WRITE IN THIS MARGIN

ADDITIONAL SPACE FOR ANSWERS



page 22

MARKS DO NOT WRITE IN THIS MARGIN

ADDITIONAL SPACE FOR ANSWERS



page 23

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

Acknowledgement of copyright

Question 5 Image by Monstera is taken from pexels.com,

https://www.pexels.com/photo/a-world-map-on-the-wall-7412035/

Image by Jason Gomes is taken from pexels.com, US Capitol Building in Washington

during Night Time \cdot Free Stock Photo (pexels.com)

Image by Liger Pham is taken from pexels.com, Mt. Fuji, Japan \cdot Free Stock Photo

(pexels.com)

